## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of diGirolamo et al.	)		
Serial No.: 10/682,586  Filed: October 9, 2003  For: Stud Spacer for Metal Wall  Docket No: 4782-030	<ul> <li>PATENT PENDING</li> <li>Examiner: Mr. Phi Dieu N Tran A</li> <li>Group Art Unit: 3637</li> <li>Confirmation No.:9767</li> </ul>		
		Mail Stop Amendment	CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR 1.8(a)]
		Commissioner for Patents	I hereby certify that this correspondence is being:
		P.O. Box 1450	deposited with the United States Postal Service on the date
Alexandria, VA 22313-1450	shown below with sufficient postage as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents P.O. Box 1450, Alexandria, VA, 22313-1450		

Itransmitted by EFS.

October 20, 2006

## RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

This is in response to the action dated September 29, 2006. The Examiner indicates that Applicant has not provided the proper status identifier for the withdrawn claims. This response places the proper identifier for the withdrawn claims.

Please note that this response includes most of the original remarks set forth in the last response.

The Examiner also maintains that Applicant has not properly responded to the double patenting rejection. Respectfully, Applicant believes that a proper response was set forth. It is believed that a double patenting rejection should not be applicable in this case. However, to advance the prosecution in this case, counsel for Applicant is herein submitting a terminal disclaimer with respect to co-pending application no. 10/910114.

It is believed that the present application is in condition for allowance and allowance is respectfully requested.

Application Ser. No. 10/682,586 Attorney Docket No. 4782-030 Client Ref. No. IP-P-016

While no fees should be required for entry of this response, if any fees or charges are required, the Commissioner is hereby authorized to charge them to Deposit Account 18-1167.